

T20 HTD 8M AT10 HTD 5M



TDMI

MO,5 GT 8M M4 GT 14M

Koła pasowe zębate o podziałce


AT T

TDMI 509 868 218

Biuro@TDMI.pl

TYP – T 2.5Podział – **2.5mm**Materiał - **aluminium**

Dopasowane do paska

o szerokości **6mm**

RODZAJ 1



RODZAJ 2

RODZAJ 3

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
16 T2,5 14	1	14	11,20	10,60	15,0	15	9	16	-	502
16 T2,5 15	1	15	12,00	11,40	15,0	15	9	16	-	502
16 T2,5 16	1	16	12,80	12,20	16,0	16	9	16	-	503
16 T2,5 18	2	18	14,40	13,80	17,5	10	10	16	-	504
16 T2,5 19	2	19	15,20	14,60	20,0	10	10	16	-	505
16 T2,5 20	2	20	16,00	15,40	20,0	11	10	16	-	505
16 T2,5 22	2	22	17,60	17,00	22,0	11	10	16	-	512
16 T2,5 24	2	24	19,15	18,55	22,0	12	10	16	4	512
16 T2,5 25	2	25	19,95	19,35	25,0	13	10	16	4	506
16 T2,5 26	2	26	20,75	20,15	26,0	14	10	16	4	507
16 T2,5 28	2	28	22,35	21,75	26,0	14	10	16	4	507
16 T2,5 30	2	30	23,95	23,35	26,0	16	10	16	6	508
16 T2,5 32	2	32	25,55	24,95	32,0	16	10	16	6	509
16 T2,5 36	2	36	28,75	28,10	36,0	20	10	16	6	510
16 T2,5 40	2	40	31,90	31,30	38,0	22	10	16	6	511
16 T2,5 44	3	44	35,10	34,50	-	24	10	16	6	-
16 T2,5 48	3	48	38,30	37,70	-	26	10	16	6	-
16 T2,5 60	3	60	47,85	47,25	-	34	10	16	8	-

TYP – T 5Podział – **5mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **10mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
21 T5 10	2	10	15,92	15,05	19,5	8	15	21	-	3
21 T5 12	2	12	19,10	18,25	23,0	11	15	21	-	1
21 T5 14	2	14	22,29	21,45	25,0	13	15	21	-	2
21 T5 15	2	15	23,88	23,05	28,0	16	15	21	6	4
21 T5 16	2	16	25,47	24,60	32,0	18	15	21	6	5
21 T5 18	2	18	28,65	27,80	32,0	20	15	21	6	6
21 T5 19	2	19	30,25	29,40	36,0	22	15	21	6	8
21 T5 20	2	20	31,83	31,00	36,0	23	15	21	6	8
21 T5 22	2	22	35,02	34,15	38,0	24	15	21	6	9
21 T5 24	2	24	38,21	37,40	42,0	26	15	21	6	13
21 T5 25	2	25	29,80	38,95	44,0	26	15	21	6	12
21 T5 26	2	26	41,39	40,60	44,0	26	15	21	6	12
21 T5 27	2	27	42,98	42,20	48,0	30	15	21	8	11
21 T5 28	2	28	44,58	43,75	48,0	32	15	21	8	11
21 T5 30	2	30	47,76	46,95	51,0	34	15	21	8	16
21 T5 32	2	32	50,94	50,10	54,0	38	15	21	8	18
21 T5 36	2	36	57,31	56,45	64,0	38	15	21	8	23
21 T5 40	2	40	63,66	62,85	66,5	40	15	21	8	24
21 T5 42	2	42	66,86	66,00	70,0	40	15	21	8	26
21 T5 44	3	44	70,05	69,20	-	45	15	21	8	-
21 T5 48	3	48	76,42	75,55	-	50	15	21	8	-
21 T5 60	3	60	95,52	94,65	-	65	15	21	8	-

TYP – T 5Podział – **5mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **16mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
27 T5 10	2	10	15,92	15,05	19,5	8	21	27	-	3
27 T5 12	2	12	19,10	18,25	23,0	11	21	27	-	1
27 T5 14	2	14	22,29	21,45	25,0	13	21	27	-	2
27 T5 15	2	15	23,88	23,05	28,0	16	21	27	6	4
27 T5 16	2	16	25,47	24,60	32,0	18	21	27	6	5
27 T5 18	2	18	28,65	27,80	32,0	20	21	27	6	6
27 T5 19	2	19	30,25	29,40	36,0	22	21	27	6	8
27 T5 20	2	20	31,83	31,00	36,0	23	21	27	6	8
27 T5 22	2	22	35,02	34,15	38,0	24	21	27	6	9
27 T5 24	2	24	38,21	37,40	42,0	26	21	27	6	13
27 T5 25	2	25	39,80	38,95	44,0	26	21	27	6	12
27 T5 26	2	26	41,39	40,60	44,0	26	21	27	6	12
27 T5 27	2	27	42,98	42,20	48,0	30	21	27	8	11
27 T5 28	2	28	44,58	43,75	48,0	32	21	27	8	11
27 T5 30	2	30	47,76	46,95	51,0	34	21	27	8	16
27 T5 32	2	32	50,94	50,10	54,0	38	21	27	8	18
27 T5 36	2	36	57,31	56,45	64,0	38	21	27	8	23
27 T5 40	2	40	63,66	62,85	66,5	40	21	27	8	24
27 T5 42	2	42	66,86	66,00	70,0	40	21	27	8	26
27 T5 44	3	44	70,05	69,20	-	45	21	27	8	-
27 T5 48	3	48	76,42	75,55	-	50	21	27	8	-
27 T5 60	3	60	95,52	94,65	-	65	21	27	8	-

TYP – T 5Podział – **5mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **25mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
36 T5 10	2	10	15,92	15,05	19,5	8	30	36	-	3
36 T5 12	2	12	19,10	18,25	23,0	11	30	36	-	1
36 T5 14	2	14	22,29	21,45	25,0	13	30	36	-	2
36 T5 15	2	15	23,88	23,05	28,0	16	30	36	6	4
36 T5 16	2	16	25,47	24,60	32,0	18	30	36	6	5
36 T5 18	2	18	28,65	27,80	32,0	20	30	36	6	6
36 T5 19	2	19	30,25	29,40	36,0	22	30	36	6	8
36 T5 20	2	20	31,83	31,00	36,0	23	30	36	6	8
36 T5 22	2	22	35,02	34,15	38,0	24	30	36	6	9
36 T5 24	2	24	38,21	37,40	42,0	26	30	36	8	13
36 T5 25	2	25	39,80	38,95	44,0	26	30	36	8	12
36 T5 26	2	26	41,39	40,60	44,0	26	30	36	8	12
36 T5 27	2	27	42,98	42,20	48,0	30	30	36	8	11
36 T5 28	2	28	44,58	43,75	48,0	32	30	36	8	11
36 T5 30	2	30	47,76	46,95	51,0	34	30	36	8	16
36 T5 32	2	32	50,94	50,10	54,0	38	30	36	8	18
36 T5 36	2	36	57,31	56,45	64,0	38	30	36	8	23
36 T5 40	2	40	63,66	62,85	66,5	40	30	36	8	24
36 T5 42	2	42	66,86	66,00	70,0	40	30	36	8	26
36 T5 44	3	44	70,05	69,20	-	45	30	36	8	-
36 T5 48	3	48	76,42	75,55	-	50	30	36	8	-
36 T5 60	3	60	95,52	94,65	-	65	30	36	8	-

TYP – T 10Podział – **10mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **16mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
31 T10 12	2	12	38,20	36,35	42,0	28	21	31	6	13
31 T10 14	2	14	44,56	42,70	48,0	32	21	31	8	11
31 T10 15	2	15	47,75	45,90	51,0	32	21	31	8	16
31 T10 16	2	16	50,93	49,10	54,0	35	21	31	8	18
31 T10 18	2	18	57,29	55,45	60,0	40	21	31	8	21
31 T10 19	2	19	60,48	58,65	66,0	44	21	31	8	24
31 T10 20	2	20	63,66	61,80	66,0	46	21	31	8	24
31 T10 22	2	22	70,03	68,20	75,0	52	21	31	8	27
31 T10 24	2	24	76,39	74,55	83,0	58	21	31	8	29
31 T10 25	2	25	79,58	77,75	83,0	60	21	31	8	29
31 T10 26	2	26	82,76	80,90	87,0	60	21	31	8	31
31 T10 27	2	27	85,95	84,10	91,0	60	21	31	8	32
31 T10 28	2	28	89,12	87,25	93,0	60	21	31	8	33
31 T10 30	2	30	95,49	93,65	102,0	60	21	31	8	35
31 T10 32	2	32	101,86	100,00	106,0	65	21	31	10	38
31 T10 36	2	36	114,59	112,75	119,0	70	21	31	10	43
31 T10 40	2	40	127,32	125,45	131,0	80	21	31	10	47
31 T10 44	3	44	140,05	138,20	-	88	21	31	10	-
31 T10 48	3	48	152,78	150,95	-	95	21	31	16	-
31 T10 60	3	60	190,98	189,10	-	110	21	31	16	-

TYP – T 10Podział – **10mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **25mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
40 T10 12	2	12	38,20	36,35	42,0	28	30	40	6	13
40 T10 14	2	14	44,56	42,70	48,0	32	30	40	8	11
40 T10 15	2	15	47,75	45,90	51,0	32	30	40	8	16
40 T10 16	2	16	50,93	49,10	54,0	35	30	40	8	18
40 T10 18	2	18	57,29	55,45	60,0	40	30	40	8	21
40 T10 19	2	19	60,48	58,65	66,0	44	30	40	8	24
40 T10 20	2	20	63,66	61,80	66,0	46	30	40	8	24
40 T10 22	2	22	70,03	68,20	75,0	52	30	40	8	27
40 T10 24	2	24	76,39	74,55	83,0	58	30	40	8	29
40 T10 25	2	25	79,58	77,75	83,0	60	30	40	8	29
40 T10 26	2	26	82,76	80,90	87,0	60	30	40	8	31
40 T10 27	2	27	85,95	84,10	91,0	60	30	40	8	32
40 T10 28	2	28	89,12	87,25	93,0	60	30	40	8	33
40 T10 30	2	30	95,49	93,65	102,0	60	30	40	8	35
40 T10 32	2	32	101,86	100,00	106,0	65	30	40	10	38
40 T10 36	2	36	114,59	112,75	119,0	70	30	40	10	43
40 T10 40	2	40	127,32	125,45	131,0	80	30	40	10	47
40 T10 44	3	44	140,05	138,20	-	88	30	40	10	-
40 T10 48	3	48	152,78	150,95	-	95	30	40	16	-
40 T10 60	3	60	190,98	189,15	-	110	30	40	16	-

TYP – T 10Podział – **10mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **32mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
47 T10 18	2	18	57,29	55,45	60	40	37	47	10	21
47 T10 19	2	19	60,48	58,6	66	44	37	47	10	24
47 T10 20	2	20	63,66	61,8	66	46	37	47	12	24
47 T10 22	2	22	70,03	68,20	75,0	52	37	47	12	27
47 T10 24	2	24	76,39	74,55	83	58	37	47	12	29
47 T10 25	2	25	79,58	77,75	83,0	60	37	47	12	29
47 T10 26	2	26	82,76	80,9	87	60	37	47	12	31
47 T10 27	2	27	85,95	84,10	91,0	60	37	47	12	32
47 T10 28	2	28	89,12	87,25	93	60	37	47	12	33
47 T10 30	2	30	95,49	93,65	102,0	60	37	47	12	35
47 T10 32	2	32	101,86	100,00	106,0	65	37	47	12	38
47 T10 36	2	36	114,59	112,75	119,0	70	37	47	16	43
47 T10 40	2	40	127,32	125,45	131,0	80	37	47	16	47
47 T10 44	3	44	140,05	138,20	-	88	37	47	16	-
47 T10 48	3	48	152,78	150,95	-	95	37	47	16	-
47 T10 60	3	60	190,98	189,10	-	110	37	47	16	-

TYP – T 10Podział – **10mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **50mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
66 T10 18	2	18	57,29	55,45	60	40	56	66	10	21
66 T10 19	2	19	60,48	58,65	66	44	56	66	10	24
66 T10 20	2	20	63,66	61,8	66	46	56	66	12	24
66 T10 22	2	22	70,03	68,20	75,0	52	56	66	12	27
66 T10 24	2	24	76,39	74,55	83,0	58	56	66	12	29
66 T10 25	2	25	79,58	77,70	83,0	60	56	66	12	29
66 T10 26	2	26	82,76	80,90	87,0	60	56	66	12	31
66 T10 27	2	27	85,95	84,10	91,0	60	56	66	12	32
66 T10 28	2	28	89,12	87,25	93,0	60	56	66	12	33
66 T10 30	2	30	95,49	93,65	102,0	60	56	66	12	35
66 T10 32	2	32	101,86	100,00	106,0	65	56	66	12	38
66 T10 36	2	36	114,59	112,75	119,0	70	56	66	16	43
66 T10 40	2	40	127,32	125,45	131,0	80	56	66	16	47
66 T10 44	3	44	140,05	138,20	-	88	56	66	16	-
66 T10 48	3	48	152,78	150,95	-	95	56	66	16	-
66 T10 60	3	60	190,98	189,10	-	110	56	66	16	-

TYP – AT 5Podział – **5mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **10mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
21 AT 5 Z 12	2	12	19,10	17,85	23	11	15	21	-	1
21 AT 5 Z 14	2	14	22,29	21,05	25	13	15	21	-	2
21 AT 5 Z 15	2	15	23,88	22,65	28	16	15	21	6	4
21 AT 5 Z 16	2	16	25,47	24,20	32	18	15	21	6	5
21 AT 5 Z 18	2	18	28,65	27,40	32	20	15	21	6	6
21 AT 5 Z 19	2	19	30,25	29,00	36	22	15	21	6	8
21 AT 5 Z 20	2	20	31,83	30,60	36	23	15	21	6	8
21 AT 5 Z 22	2	22	35,02	33,85	38	24	15	21	6	9
21 AT 5 Z 24	2	24	38,21	37,00	42	26	15	21	6	13
21 AT 5 Z 25	2	25	39,80	38,60	44	26	15	21	6	12
21 AT 5 Z 26	2	26	41,39	40,20	44	26	15	21	6	12
21 AT 5 Z 27	2	27	42,98	41,80	48	30	15	21	8	11
21 AT 5 Z 28	2	28	44,58	43,35	48	32	15	21	8	11
21 AT 5 Z 30	2	30	47,76	46,55	51	34	15	21	8	16
21 AT 5 Z 32	2	32	50,94	49,70	54	38	15	21	8	18
21 AT 5 Z 36	2	36	57,31	56,05	64	38	15	21	8	23
21 AT 5 Z 40	2	40	63,66	62,45	66,5	40	15	21	8	24
21 AT 5 Z 42	2	42	66,86	65,60	70	40	15	21	8	26
21 AT 5 Z 44	3	44	70,05	68,80	-	45	15	21	8	-
21 AT 5 Z 48	3	48	76,42	75,15	-	50	15	21	8	-
21 AT 5 Z 60	3	60	95,52	94,25	-	65	15	21	8	-

TYP – AT 5Podział – **5mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **16mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
27 AT 5 Z 12	2	12	19,1	17,85	23	11	21	27	-	1
27 AT 5 Z 14	2	14	22,29	21,05	25	13	21	27	-	2
27 AT 5 Z 15	2	15	23,88	22,65	28	16	21	27	6	4
27 AT 5 Z 16	2	16	25,47	24,2	32	18	21	27	6	5
27 AT 5 Z 18	2	18	28,65	27,4	32	20	21	27	6	6
27 AT 5 Z 19	2	19	30,25	29	36	22	21	27	6	8
27 AT 5 Z 20	2	20	31,83	30,6	36	23	21	27	6	8
27 AT 5 Z 22	2	22	35,02	33,85	38	24	21	27	6	9
27 AT 5 Z 24	2	24	38,21	37,00	42	26	21	27	6	13
27 AT 5 Z 25	2	25	39,80	38,60	44	26	21	27	6	12
27 AT 5 Z 26	2	26	41,39	40,20	44	26	21	27	6	12
27 AT 5 Z 27	2	27	42,98	41,80	48	30	21	27	8	11
27 AT 5 Z 28	2	28	44,58	43,35	48	32	21	27	8	11
27 AT 5 Z 30	2	30	47,76	46,55	51	34	21	27	8	16
27 AT 5 Z 32	2	32	50,94	49,70	54	38	21	27	8	18
27 AT 5 Z 36	2	36	57,31	56,05	64	38	21	27	8	23
27 AT 5 Z 40	2	40	63,66	62,45	66,5	40	21	27	8	24
27 AT 5 Z 42	2	42	66,86	65,60	70	40	21	27	8	26
27 AT 5 Z 44	3	44	70,05	68,80	-	45	21	27	8	-
27 AT 5 Z 48	3	48	76,42	75,15	-	50	21	27	8	-
27 AT 5 Z 60	3	60	95,52	94,25	-	65	21	27	8	-

TYP – AT 5Podział – **5mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **25mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
36 AT 5 Z 12	2	12	19,10	17,85	23,0	11	30	36	-	1
36 AT 5 Z 14	2	14	22,29	21,05	25,0	13	30	36	-	2
36 AT 5 Z 15	2	15	23,88	22,65	28,0	16	30	36	6	4
36 AT 5 Z 16	2	16	25,47	24,20	32,0	18	30	36	6	5
36 AT 5 Z 18	2	18	28,65	27,40	32,0	20	30	36	6	6
36 AT 5 Z 19	2	19	30,25	29,00	36,0	22	30	36	6	8
36 AT 5 Z 20	2	20	31,83	30,60	36,0	23	30	36	6	8
36 AT 5 Z 22	2	22	35,02	33,85	38,0	24	30	36	6	9
36 AT 5 Z 24	2	24	38,21	37,00	42,0	26	30	36	6	13
36 AT 5 Z 25	2	25	39,80	38,60	44,0	26	30	36	6	12
36 AT 5 Z 26	2	26	41,39	40,20	44,0	26	30	36	6	12
36 AT 5 Z 27	2	27	42,98	41,80	48,0	30	30	36	8	11
36 AT 5 Z 28	2	28	44,58	43,35	48,0	32	30	36	8	11
36 AT 5 Z 30	2	30	47,76	46,55	51,0	34	30	36	8	16
36 AT 5 Z 32	2	32	50,94	49,70	54,0	38	30	36	8	18
36 AT 5 Z 36	2	36	57,31	56,05	64,0	38	30	36	8	23
36 AT 5 Z 40	2	40	63,66	62,45	66,5	40	30	36	8	24
36 AT 5 Z 42	2	42	66,86	65,60	70,0	40	30	36	8	26
36 AT 5 Z 44	3	44	70,05	68,80	-	45	30	36	8	-
36 AT 5 Z 48	3	48	76,42	75,15	-	50	30	36	8	-
36 AT 5 Z 60	3	60	95,52	94,25	-	65	30	36	8	-

TYP – AT 10Podział – **10mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **16mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
31 AT10 15	2	15	47,75	45,90	51	32	21	31	8	16
31 AT10 16	2	16	50,93	49,05	54	35	21	31	8	18
31 AT10 18	2	18	57,29	55,45	60	40	21	31	8	21
31 AT10 19	2	19	60,48	58,60	66,5	44	21	31	8	24
31 AT10 20	2	20	63,66	61,80	66,5	46	21	31	8	24
31 AT10 22	2	22	70,03	68,15	75	52	21	31	8	27
31 AT10 24	2	24	76,39	74,55	83	58	21	31	8	29
31 AT10 25	2	25	79,58	77,70	83	60	21	31	8	29
31 AT10 26	2	26	82,76	80,90	87	60	21	31	8	31
31 AT10 27	2	27	85,95	84,10	91	60	21	31	8	32
31 AT10 28	2	28	89,12	87,25	93	60	21	31	8	33
31 AT10 30	2	30	95,49	93,65	102	60	21	31	8	35
31 AT10 32	2	32	101,86	100,00	106	65	21	31	10	38
31 AT10 36	2	36	114,59	112,75	119	70	21	31	10	43
31 AT10 40	2	40	127,32	125,45	131	80	21	31	10	47
31 AT10 44	3	44	140,05	138,20	-	88	21	31	10	-
31 AT10 48	3	48	152,78	150,95	-	95	21	31	16	-
31 AT10 60	3	60	190,98	189,10	-	110	21	31	16	-

TYP – AT 10Podział – **10mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **25mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
40 AT10 15	2	15	47,75	45,90	51	32	30	40	8	16
40 AT10 16	2	16	50,93	49,05	54	35	30	40	8	18
40 AT10 18	2	18	57,29	55,45	60	40	30	40	8	21
40 AT10 19	2	19	60,48	58,60	66,5	44	30	40	8	24
40 AT10 20	2	20	63,66	61,80	66,5	46	30	40	8	24
40 AT10 22	2	22	70,03	68,15	75	52	30	40	8	27
40 AT10 24	2	24	76,39	74,55	83	58	30	40	8	29
40 AT10 25	2	25	79,58	77,70	83	60	30	40	8	29
40 AT10 26	2	26	82,76	80,90	87	60	30	40	8	31
40 AT10 27	2	27	85,95	84,10	91	60	30	40	8	32
40 AT10 28	2	28	89,12	87,25	93	60	30	40	8	33
40 AT10 30	2	30	95,49	93,65	102	60	30	40	8	35
40 AT10 32	2	32	101,86	100,00	106	65	30	40	10	38
40 AT10 36	2	36	114,59	112,75	119	70	30	40	10	43
40 AT10 40	2	40	127,32	125,45	131	80	30	40	10	47
40 AT10 44	3	44	140,05	138,20	-	88	30	40	10	-
40 AT10 48	3	48	152,78	150,95	-	95	30	40	16	-
40 AT10 60	3	60	190,98	189,10	-	110	30	40	16	-

TYP – AT 10Podział – **10mm**Materiał - **aluminium**



Dopasowane do paska

o szerokości **32mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
47 AT10 18	2	18	57,29	55,45	60	40	37	47	10	21
47 AT10 19	2	19	60,48	58,60	66,5	44	37	47	10	24
47 AT10 20	2	20	63,66	61,80	66,5	46	37	47	12	24
47 AT10 22	2	22	70,03	68,15	75	52	37	47	12	27
47 AT10 24	2	24	76,39	74,55	83	58	37	47	12	29
47 AT10 25	2	25	79,58	77,70	83	60	37	47	12	29
47 AT10 26	2	26	82,76	80,90	87	60	37	47	12	31
47 AT10 27	2	27	85,95	84,10	91	60	37	47	12	32
47 AT10 28	2	28	89,12	87,25	93	60	37	47	12	33
47 AT10 30	2	30	95,49	93,65	102	60	37	47	12	35
47 AT10 32	2	32	101,86	100,00	106	65	37	47	12	38
47 AT10 36	2	36	114,59	112,75	119	70	37	47	16	43
47 AT10 40	2	40	127,32	125,45	131	80	37	47	16	47
47 AT10 44	3	44	140,05	138,20	-	88	37	47	16	-
47 AT10 48	3	48	152,78	150,95	-	95	37	47	16	-
47 AT10 60	3	60	190,98	189,10	-	110	37	47	16	-

TYP – AT 10Podział – **10mm**Materiał - **aluminium**

Dopasowane do paska

o szerokości **50mm****RODZAJ 2****RODZAJ 3**

Typ	Rodzaj	Ilość zębów	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
66 AT10 18	2	18	57,29	55,45	60	40	56	66	10	21
66 AT10 19	2	19	60,48	58,60	66,5	44	56	66	10	24
66 AT10 20	2	20	63,66	61,80	66,5	46	56	66	12	24
66 AT10 22	2	22	70,03	68,15	75	52	56	66	12	27
66 AT10 24	2	24	76,39	74,55	83	58	56	66	12	29
66 AT10 25	2	25	79,58	77,70	83	60	56	66	12	29
66 AT10 26	2	26	82,76	80,90	87	60	56	66	12	31
66 AT10 27	2	27	85,95	84,10	91	60	56	66	12	32
66 AT10 28	2	28	89,12	87,25	93	60	56	66	12	33
66 AT10 30	2	30	95,49	93,65	102	60	56	66	12	35
66 AT10 32	2	32	101,86	100,00	106	65	56	66	12	38
66 AT10 36	2	36	114,59	112,75	119	70	56	66	16	43
66 AT10 40	2	40	127,32	125,45	131	80	56	66	16	47
66 AT10 44	3	44	140,05	138,20	-	88	56	66	16	-
66 AT10 48	3	48	152,78	150,95	-	95	56	66	16	-
66 AT10 60	3	60	190,98	189,10	-	110	56	66	16	-