

T20 HTD 8M AT10 HTD 5M



TDMI

MO,5 GT 8M M4 GT 14M


Koła zębate HTD o podziałce 3M, 5M, 8M, 14M

TDMI 509 868 218


Biuro@TDMI.pl

TYP – 3M 09


Materiał - **aluminium**



RODZAJ 1




RODZAJ 2



RODZAJ 10

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d otwór	N kołnierz
10 3M 09F	10	1	9,55	8,79	13	13	10,2	17,5	-	501
12 3M 09F	12	1	11,46	10,7	15	15	10,2	17,5	-	502
14 3M 09F	14	1	13,37	12,61	16	16	10,2	17,5	-	503
15 3M 09F	15	1	14,32	13,56	17,5	17,5	10,2	17,5	-	516
16 3M 09F	16	2	15,28	14,52	17,5	10	12,8	20,6	4	504
18 3M 09F	18	2	17,19	16,43	20	11	12,8	20,6	6	505
20 3M 09F	20	2	19,1	18,34	23	13	12,8	20,6	6	517
21 3M 09F	21	2	20,05	19,29	25	13	12,8	20,6	6	518
22 3M 09F	22	2	21,01	20,25	25	13	12,8	20,6	6	518
24 3M 09F	24	2	22,92	22,16	25	13	12,8	20,6	6	518
26 3M 09F	26	2	24,83	24,07	28	16	12,8	20,6	6	508
28 3M 09F	28	2	26,74	25,98	32	18	12,8	20,6	6	509
30 3M 09F	30	2	28,65	27,89	32	20	12,8	20,6	6	509
32 3M 09F	32	2	30,56	29,8	36	22	12,8	20,6	6	510
36 3M 09F	36	2	34,38	33,62	39	26	13,4	22,2	6	519
40 3M 09F	40	2	38,2	37,44	42	28	13,4	22,2	6	513
44 3M 09F	44	2	42,02	41,26	48	33	13,4	22,2	6	520
48 3M 09	48	10	45,84	45,08	-	33	13,4	22,2	8	-
60 3M 09	60	10	57,3	56,54	-	33	13,4	22,2	8	-
72 3M 09	72	10	68,75	67,99	-	33	13,4	22,2	8	-


TYP – 5M 09
Materiał - STAL



RODZAJ 2

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
12 5M 09F	12	1	19,10	17,96	23	12	-	14,5	20	4
14 5M 09F	14	1	22,28	21,14	25	13	-	14,5	20	6
15 5M 09F	15	1	23,37	22,73	28	16	-	14,5	20	6
16 5M 09F	16	1	25,46	24,32	28	16,5	-	14,5	20	6
18 5M 09F	18	1	28,65	27,51	32	20	-	14,5	20	6
20 5M 09F	20	1	31,83	30,69	36	23	-	14,5	22,5	6
21 5M 09F	21	1	33,42	32,28	38	24	-	14,5	22,5	6
22 5M 09F	22	1	35,01	33,87	39	25,5	-	14,5	22,5	6
24 5M 09F	24	1	38,20	37,06	42	27	-	14,5	22,5	6
26 5M 09F	26	1	41,38	40,24	44	30	-	14,5	22,5	6
28 5M 09F	28	1	44,56	43,42	48	30,5	-	14,5	22,5	6
30 5M 09F	30	1	47,75	46,60	51	35	-	14,5	22,5	6
32 5M 09F	32	1	50,93	49,79	54	38	-	14,5	22,5	8
36 5M 09F	36	1	57,30	56,16	60	38	-	14,5	22,5	8
40 5M 09F	40	1	63,66	62,52	71	38	-	14,5	22,5	8


TYP – 5M 09
Materiał – aluminium
 Aluminiowe koła pasowe nie są fosforanowane



RODZAJ 5

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
44 5M 09	44	5	70,03	68,89	-	38	54	14,5	25,5	8
48 5M 09	48	5	76,39	75,25	-	45	61	14,5	25,5	8
60 5M 09	60	5	95,49	94,35	-	45	80	14,5	25,5	8
72 5M 09	72	5	114,59	113,45	-	45	100	14,5	25,5	8


TYP – 5M 15
Materiał - STAL



RODZAJ 2

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
12 5M 15F	12	2	19,10	17,96	23	12	-	20,5	26	-
14 5M 15F	14	2	22,28	21,14	25	13	-	20,5	26	6
15 5M 15F	15	2	23,37	22,73	28	16	-	20,5	26	6
16 5M 15F	16	2	25,46	24,32	28	16,5	-	20,5	26	6
18 5M 15F	18	2	28,65	27,51	32	20	-	20,5	26	6
20 5M 15F	20	2	31,83	30,69	36	23	-	20,5	26	6
21 5M 15F	21	2	33,42	32,28	38	24	-	20,5	26	6
22 5M 15F	22	2	35,01	33,87	39	25,5	-	20,5	26	6
24 5M 15F	24	2	38,20	37,06	42	27	-	20,5	28	6
26 5M 15F	26	2	41,38	40,24	44	30	-	20,5	28	6
28 5M 15F	28	2	44,56	43,42	48	30,5	-	20,5	28	6
30 5M 15F	30	2	47,75	46,60	51	35	-	20,5	28	6
32 5M 15F	32	2	50,93	49,79	54	38	-	20,5	28	8
36 5M 15F	36	2	57,30	56,16	60	38	-	20,5	28	8
40 5M 15F	40	2	63,66	62,52	71	38	-	20,5	28	8


TYP – 5M 15
Materiał – aluminium
 Aluminiowe koła pasowe nie są fosforanowane



RODZAJ 5

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
44 5M 15	44	5	70,03	68,89	-	38	54	20,5	30	8
48 5M 15	48	5	76,39	75,25	-	38	61	20,5	30	8
60 5M 15	60	5	95,49	94,35	-	50	80	20,5	30	8
72 5M 15	72	5	114,59	113,45	-	50	100	20,5	30	8


TYP – 5M 25
Materiał - STAL




RODZAJ 2

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
12 5M 25F	12	2	19,10	17,96	23	12	-	30,5	36	-
14 5M 25F	14	2	22,28	21,14	25	13	-	30,5	36	6
15 5M 25F	15	2	23,87	22,73	28	16	-	30,5	36	6
16 5M 25F	16	2	25,46	24,32	28	16,5	-	30,5	36	6
18 5M 25F	18	2	28,65	27,51	32	20	-	30,5	36	6
20 5M 25F	20	2	31,83	30,69	36	23	-	30,5	36	6
21 5M 25F	21	2	33,42	32,28	38	24	-	30,5	38	6
22 5M 25F	22	2	35,01	33,87	39	25,5	-	30,5	38	6
24 5M 25F	24	2	38,20	37,06	42	27	-	30,5	38	6
26 5M 25F	26	2	41,38	40,24	44	30	-	30,5	38	6
28 5M 25F	28	2	44,56	43,42	48	30,5	-	30,5	38	6
30 5M 25F	30	2	47,75	46,60	51	35	-	30,5	38	6
32 5M 25F	32	2	50,93	49,79	54	38	-	30,5	38	8
36 5M 25F	36	2	57,30	56,16	60	38	-	30,5	38	8
40 5M 25F	40	2	63,66	62,52	71	38	-	30,5	38	8

TYP – 5M 25
Materiał – aluminium
 Aluminiowe koła pasowe nie są fosforanowane




RODZAJ 5




RODZAJ 10

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
44 5M 25	44	10	70,03	68,89	-	38	-	30,5	40	8
48 5M 25	48	5	76,39	75,25	-	38	61	30,5	40	8
60 5M 25	60	5	95,49	94,35	-	50	80	30,5	40	8
72 5M 25	72	5	114,59	113,45	-	50	100	30,5	40	8

TYP – 8M 20
Materiał - STAL




RODZAJ 2




RODZAJ 4

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
22 8M 20F	22	2	56,02	54,65	60	43	-	28	38	12
24 8M 20F	24	2	61,12	59,75	66	45	-	28	38	12
26 8M 20F	26	2	66,21	64,85	70	48	-	28	38	12
28 8M 20F	28	2	71,30	70,08	75	50	-	28	38	15
30 8M 20F	30	2	76,39	75,13	82,5	55	-	28	38	15
32 8M 20F	32	2	81,49	80,16	87	60	-	28	38	15
34 8M 20F	34	2	86,58	85,22	91	66	-	28	38	15
36 8M 20F	36	2	91,67	90,30	97	70	-	28	38	15
38 8M 20F	38	2	96,77	95,39	102	75	-	28	38	15
40 8M 20F	40	2	101,86	100,49	106	75	-	28	38	15
44 8M 20F	44	2	112,05	110,67	120	75	-	28	38	15
48 8M 20F	48	2	122,23	120,86	128	75	-	28	38	15
56 8M 20F	56	4	142,60	141,23	150	80	116	28	38	15
64 8M 20F	64	4	162,97	161,60	168	80	137	28	38	15
72 8M 20F	72	4	183,35	181,97	192	80	158	28	38	15

TYP – 8M 20
Materiał - Żeliwo




RODZAJ 5




RODZAJ 6

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
80 8M 20	80	5	203,72	202,35	-	90	180	28	38	15
90 8M 20	90	5	229,18	227,81	-	90	204	28	38	15
112 8M 20	112	6	285,21	283,83	-	90	254	28	38	18
168 8M 20	168	6	427,81	426,44	-	100	400	28	38	20
144 8M 20	144	6	366,69	365,32	-	90	336	28	38	20
192 8M 21	192	6	488,92	487,55	-	100	460	28	38	20

TYP – 8M 30
Materiał - STAL




RODZAJ 2




RODZAJ 4

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
22 8M 30F	22	2	56,02	54,65	60	43	-	38	48	12
24 8M 30F	24	2	61,12	59,75	66	45	-	38	48	12
26 8M 30F	26	2	66,21	64,85	70	48	-	38	48	12
28 8M 30F	28	2	71,30	70,08	75	50	-	38	48	15
30 8M 30F	30	2	76,39	75,13	82,5	55	-	38	48	15
32 8M 30F	32	2	81,49	80,16	87	60	-	38	48	15
34 8M 30F	34	2	86,58	85,22	91	66	-	38	48	15
36 8M 30F	36	2	91,67	90,30	97	70	-	38	48	15
38 8M 30F	38	2	96,77	95,39	102	75	-	38	48	15
40 8M 30F	40	2	101,86	100,49	106	75	-	38	48	15
44 8M 30F	44	2	112,05	110,67	120	75	-	38	48	15
48 8M 30F	48	2	122,23	120,86	128	75	-	38	48	15
56 8M 30F	56	4	142,60	141,23	150	90	116	38	48	15
64 8M 30F	64	4	162,97	161,60	168	90	137	38	48	15
72 8M 30F	72	4	183,35	181,97	192	95	158	38	48	15

TYP – 8M 30
Materiał - Żeliwo




RODZAJ 5



RODZAJ 6


Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
80 8M 30	80	5	203,72	202,35	-	100	180	38	48	15
90 8M 30	90	5	229,18	227,81	-	100	204	38	48	15
112 8M 30	112	6	285,21	283,83	-	100	254	38	48	18
144 8M 30	144	6	366,69	365,32	-	100	336	38	48	20
168 8M 30	168	6	427,81	426,44	-	100	400	38	48	20
192 8M 30	192	6	488,92	487,55	-	100	460	38	48	20

TYP – 8M 85
Materiał - STAL




Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
22- 8M- 85F	22	2	56,02	54,65	60	43	-	95	105	-
24- 8M- 85F	24	2	61,12	59,75	66	45	-	95	105	-
26- 8M- 85F	26	2	66,21	64,85	70	48	-	95	105	-
28- 8M- 85F	28	2	71,3	70,08	75	50	-	95	105	-
30- 8M- 85F	30	2	76,39	75,13	82,5	55	-	95	105	-
32- 8M- 85F	32	2	81,49	80,16	87	60	-	95	105	-
34- 8M- 85F	34	2	86,58	85,22	91	66	-	95	105	-
36- 8M- 85F	36	2	91,67	90,3	97	70	-	95	105	-
38- 8M- 85F	38	2	96,77	95,39	102	75	-	95	105	-
40- 8M- 85F	40	2	101,86	100,49	106	75	-	95	105	-
44- 8M- 85F	44	2	112,05	110,67	120	75	-	95	105	-
48- 8M- 85F	48	2	122,23	120,86	128	80	-	95	105	-
56- 8M- 85F	56	2	142,6	141,23	150	90	-	95	105	20
64- 8M- 85F	64	8	162,97	161,6	168	100	137	95	95	20
72- 8M- 85F	72	8	183,35	181,97	192	100	158	95	95	20

TYP – 8M 85
Materiał - Żeliwo



Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
80- 8M- 85	80	7	203,72	202,35	-	110	180	95	95	20
90- 8M- 85	90	7	229,18	227,81	-	110	204	95	95	20
112- 8M- 85	112	7	285,21	283,83	-	110	254	95	95	24
144- 8M- 85	144	7	366,69	365,32	-	110	336	95	95	24
168- 8M- 85	168	7	427,81	426,44	-	120	400	95	95	24
192- 8M- 85	192	7	488,92	487,55	-	130	460	95	95	24


TYP – 14M 40
Materiał - STAL




RODZAJ 2

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
28-14M- 40F	28	2	124,78	122,12	128	100	-	54	69	24
29-14M- 40F	29	2	129,23	126,57	138	100	-	54	69	24
30-14M- 40F	30	2	133,69	130,99	138	100	-	54	69	24
32-14M- 40F	32	2	142,6	139,88	154	100	-	54	69	24
34-14M- 40F	34	2	151,52	148,79	160	100	-	54	69	24
36-14M- 40F	36	2	160,43	157,68	168	100	-	54	69	24
38-14M- 40F	38	2	169,34	166,6	183	120	-	54	69	24
40-14M- 40F	40	2	178,25	175,49	188	120	-	54	69	24
44-14M- 40F	44	2	196,08	193,28	211	120	-	54	69	24

TYP – 14M 40
Materiał - Żeliwo




RODZAJ 4



RODZAJ 6

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
48-14M- 40F	48	4	213,9	211,11	226	135	170	54	69	24
56-14M- 40F	56	4	249,55	246,76	256	135	207	54	69	28
64-14M- 40F	64	4	285,21	282,41	296	135	240	54	69	28
72-14M- 40	72	6	320,86	318,06	-	135	278	54	69	28
80-14M- 40	80	6	356,51	353,71	-	135	314	54	69	28
90-14M- 40	90	6	401,07	398,28	-	135	358	54	69	28
112-14M-40	112	6	499,11	496,32	-	135	456	54	69	28
144-14M-40	144	6	641,71	638,92	-	135	600	54	69	28
168-14M-40	168	6	748,66	745,87	-	135	706	54	69	28
192-14M-40	192	6	855,62	852,82	-	135	813	54	69	28
216-14M-40	216	6	962,57	959,76	-	150	920	54	69	28


TYP – 14M 55
Materiał - STAL




RODZAJ 2

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
28-14M- 55F	28	2	124,78	122,12	128	100	-	70	85	24
29-14M- 55F	29	2	129,23	126,57	138	100	-	70	85	24
30-14M- 55F	30	2	133,69	130,99	138	100	-	70	85	24
32-14M- 55F	32	2	142,6	139,88	154	100	-	70	85	24
34-14M- 55F	34	2	151,52	148,79	160	100	-	70	85	24
36-14M- 55F	36	2	160,43	157,68	168	100	-	70	85	24
38-14M- 55F	38	2	169,34	166,6	183	120	-	70	85	24
40-14M- 55F	40	2	178,25	175,49	188	120	-	70	85	24
44-14M- 55F	44	2	196,08	193,28	211	120	-	70	85	24

TYP – 14M 55
Materiał - Żeliwo




RODZAJ 8



RODZAJ 7

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
48-14M- 55F	48	8	213,9	211,11	226	135	170	70	70	24
56-14M- 55F	56	8	249,55	246,76	256	135	207	70	70	28
64-14M- 55F	64	8	285,21	282,41	296	135	240	70	70	28
72-14M- 55	72	7	320,86	318,06	-	135	278	70	70	28
90-14M- 55	90	7	401,07	398,28	-	135	358	70	70	28
80-14M- 55	80	7	356,51	353,71	-	135	314	70	70	28
112-14M- 55	112	7	499,11	496,32	-	135	456	70	70	28
144-14M- 55	144	7	641,71	638,92	-	135	600	70	70	28
168-14M- 55	168	7	748,66	745,87	-	135	706	70	70	28
192-14M- 55	192	7	855,62	852,82	-	135	813	70	70	28
216-14M- 55	216	7	962,57	959,76	-	150	920	70	70	28


TYP – 14M 85
Materiał - STAL




RODZAJ 2

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
28-14M- 85F	28	2	124,78	122,12	128	100	-	102	117	-
29-14M- 85F	29	2	129,23	126,57	138	100	-	102	117	-
30-14M- 85F	30	2	133,69	130,99	138	100	-	102	117	-
32-14M- 85F	32	2	142,6	139,88	154	100	-	102	117	-
34-14M- 85F	34	2	151,52	148,79	160	100	-	102	117	-
36-14M- 85F	36	2	160,43	157,68	168	100	-	102	117	-
38-14M- 85F	38	2	169,34	166,6	183	120	-	102	117	-
40-14M- 85F	40	2	178,25	175,49	188	135	-	102	117	-
44-14M- 85F	44	2	196,08	193,28	211	135	-	102	117	-
48-14M- 85F	48	2	213,9	211,11	226	150	-	102	117	-

TYP – 14M 85
Materiał - Żeliwo



RODZAJ 8




RODZAJ 7

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
56-14M- 85F	56	8	249,55	246,76	256	150	207	102	102	32
64-14M- 85F	64	8	285,21	282,41	296	150	240	102	102	32
72-14M- 85	72	7	320,86	318,06	-	150	278	102	102	32
80-14M- 85	80	7	356,51	353,71	-	150	314	102	102	32
90-14M- 85	90	7	401,07	398,28	-	150	358	102	102	32
112-14M- 85	112	7	499,11	496,32	-	150	456	102	102	32
144-14M- 85	144	7	641,71	638,92	-	150	600	102	102	32
168-14M- 85	168	7	748,66	745,87	-	150	706	102	102	32
192-14M- 85	192	7	855,62	852,82	-	165	813	102	102	32
216-14M- 85	216	7	962,57	959,76	-	165	920	102	102	32

TYP – 14M 115

Materiał - **STAL**




RODZAJ 2


Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
28-14M- 115F	28	2	124,78	122,12	128	100	-	133	148	-
29-14M- 115F	29	2	129,23	126,57	138	100	-	133	148	-
30-14M- 115F	30	2	133,69	130,99	138	100	-	133	148	-
32-14M- 115F	32	2	142,6	139,88	154	100	-	133	148	-
34-14M- 115F	34	2	151,52	148,79	160	100	-	133	148	-
36-14M- 115F	36	2	160,43	157,68	168	120	-	133	148	-
38-14M- 115F	38	2	169,34	166,6	183	120	-	133	148	-
40-14M- 115F	40	2	178,25	175,49	188	135	-	133	148	-
44-14M- 115F	44	2	196,08	193,28	211	140	-	133	148	-

TYP – 14M 115


Materiał - **Żeliwo**



RODZAJ 2



RODZAJ 8




RODZAJ 7

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
48-14M- 115F	48	2	213,9	211,11	226	150	-	133	148	-
56-14M- 115F	56	2	249,55	246,76	256	150	-	133	148	-
64-14M- 115F	64	8	285,21	282,41	296	150	240	133	133	32
72-14M- 115	72	7	320,86	318,06	-	150	278	133	133	32
80-14M- 115	80	7	356,51	353,71	-	150	314	133	133	32
90-14M- 115	90	7	401,07	398,28	-	150	358	133	133	32
112-14M- 115	112	7	499,11	496,32	-	150	456	133	133	32
144-14M- 115	144	7	641,71	638,92	-	165	600	133	133	32
168-14M- 115	168	7	748,66	745,87	-	165	706	133	133	32
192-14M- 115	192	7	855,62	852,82	-	165	813	133	133	32
216-14M- 115	216	7	962,57	959,76	-	165	920	133	133	32

TYP – 14M 170

Materiał - **STAL**




RODZAJ 2


Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
28-14M- 170F	28	2	124,78	122,12	128	100	-	187	202	-
29-14M- 170F	29	2	129,23	126,57	138	100	-	187	202	-
30-14M- 170F	30	2	133,69	130,99	138	100	-	187	202	-
32-14M- 170F	32	2	142,6	139,88	154	100	-	187	202	-
34-14M- 170F	34	2	151,52	148,79	160	100	-	187	202	-
36-14M- 170F	36	2	160,43	157,68	168	120	-	187	202	-
38-14M- 170F	38	2	169,34	166,6	183	135	-	187	202	-
40-14M- 170F	40	2	178,25	175,49	188	140	-	187	202	-
44-14M- 170F	44	2	196,08	193,28	211	160	-	187	202	-
48-14M- 170F	48	2	213,9	211,11	226	160	-	187	202	-
56-14M- 170F	56	2	249,55	246,76	256	160	-	187	202	-
64-14M- 170F	64	2	285,21	282,41	296	180	-	187	202	-

TYP – 14M 170

Materiał - **Żeliwo**



RODZAJ 9



RODZAJ 7

Typ	Ilość zębów	Rodzaj	Dp	De	Df Kołnierz	Dm Centrum	F	L	d	N kołnierz
72-14M- 170	72	9	320,86	318,06	-	180	278	187	187	32
80-14M- 170	80	9	356,51	353,71	-	180	314	187	187	32
90-14M- 170	90	7	401,07	398,28	-	180	358	187	187	38
112-14M- 170	112	7	499,11	496,32	-	200	456	187	187	38
144-14M- 170	144	7	641,71	638,92	-	220	600	187	187	38
168-14M- 170	168	7	748,66	745,87	-	220	706	187	187	38
192-14M- 170	192	7	855,61	852,82	-	220	813	187	187	38
216-14M- 170	216	7	962,57	959,76	-	220	920	187	187	38

T20 HTD 8M AT10 HTD 5M



TDMI

MO,5 GT 8M M4 GT 14M

Koła zębate HTD o podziałce

5M, 8M, 14M

TAPER LOCK

“FOSEFATATE”


TDMI 509 868 218

Biuro@TDMI.pl


TYP – 5M 15

Materiał – **STAL**


TAPER LOCK




RODZAJ 2



RODZAJ 12




RODZAJ 7




RODZAJ 17

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL- 34- 5M- 15	34	2	1008	25	54,11	52,97	57	-	-	22	22	-	20
TL- 36- 5M- 15	36	2	1108	25	57,3	56,15	60	-	-	22	22	-	21
TL- 38- 5M- 15	38	2	1108	25	60,48	59,34	66,5	-	-	22	22	-	24
TL- 40- 5M- 15	40	2	1108	25	63,66	62,52	71	-	-	22	22	-	25
TL- 44- 5M- 15	44	2	1108	25	70,03	68,89	75	-	-	22	22	-	27
TL- 48- 5M- 15	48	12	1210	32	76,39	75,25	83	59	-	22	25	3	29
TL- 56- 5M- 15	56	12	1210	32	89,13	87,39	93	70	-	22	25	3	33
TL- 64- 5M- 15	64	12	1210	32	101,86	101,86	106	80	-	22	25	3	38
TL- 72- 5M- 15	72	7	1610	42	114,59	114,59	-	92	-	22	25	3	-
TL- 80- 5M- 15	80	7	1610	42	127,32	127,32	-	92	-	22	25	3	-
TL- 90- 5M- 15	90	7	1610	42	143,24	143,24	-	92	-	22	25	3	-
TL- 112- 5M- 15	112	7	2012	50	178,25	178,25	-	110	-	20	32	12	-
TL- 136- 5M- 15	136	17	2012	50	216,45	216,45	-	110	199	20	32	6	-


TYP – 8M 20
Materiał – STAL
TAPER LOCK



RODZAJ 4




RODZAJ 12




RODZAJ 8

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-22- 8M- 20	22	4	1008	25	56,02	54,65	60	-	37	28	22	6	53
TL-24- 8M- 20	24	4	1108	25	61,12	59,75	66	-	44	28	22	6	69
TL-26- 8M- 20	26	4	1108	25	66,21	64,85	70	-	45	28	22	6	61
TL-28- 8M- 20	28	4	1108	25	71,3	70,08	75	-	50	28	22	6	79
TL-30- 8M- 20	30	4	1108	25	76,39	75,13	82,5	-	58	28	22	6	73
TL-32- 8M- 20	32	4	1610	42	81,49	80,16	87	-	63	28	25	3	76
TL-34- 8M- 20	34	4	1610	42	86,58	85,22	91	-	64	28	25	3	66
TL-36- 8M- 20	36	4	1610	42	91,67	90,3	97	-	68	28	25	3	68
TL-38- 8M- 20	38	4	1610	42	96,77	95,39	102	-	72	28	25	3	70
TL-40- 8M- 20	40	4	1610	42	101,86	100,49	106	-	76	28	25	3	77
TL-44- 8M- 20	44	12	2012	50	112,05	110,67	120	92	-	28	32	4	75
TL-48- 8M- 20	48	12	2012	50	122,23	120,86	128	96	-	28	32	4	78
TL-56- 8M- 20	56	12	2012	50	142,6	141,23	150	110	-	28	32	4	85
TL-64- 8M- 20	64	8	2012	50	162,97	161,6	168	110	137	28	32	4	90
TL-72- 8M- 20	72	8	2012	50	183,35	181,97	192	110	158	28	32	4	97

TYP – 8M 20
Materiał – ŻELIWO
TAPER LOCK



RODZAJ 9



RODZAJ 17

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-80- 8M- 20	80	9	2012	50	203,72	202,35	-	110	180	28	32	4	-
TL-90- 8M- 20	90	9	2012	50	229,18	227,81	-	110	204	28	32	4	-
TL-112- 8M- 20	112	9	2517	60	285,21	283,83	-	125	254	28	45	17	-
TL-144- 8M- 20	114	17	2517	60	366,69	365,32	-	125	336	28	45	12	-

TYP – 8M 30
Materiał – STAL
TAPER LOCK

RODZAJ 4 RODZAJ 2 RODZAJ 12 RODZAJ 8


Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL- 22- 8M- 30	22	4	1008	25	56,02	54,65	60	-	37	38	22	16	53
TL- 24- 8M- 30	24	4	1108	25	61,12	59,75	66	-	44	38	22	16	69
TL- 26- 8M- 30	26	4	1108	25	66,21	64,85	70	-	44	38	22	16	61
TL- 28- 8M- 30	28	4	1210	32	71,3	70,08	75	-	50	38	25	13	79
TL- 30- 8M- 30	30	2	1615	42	76,39	75,13	82,5	-	-	38	38	-	73
TL- 32- 8M- 30	32	2	1615	42	81,49	80,16	87	-	-	38	38	-	76
TL- 34- 8M- 30	34	2	1615	42	86,58	85,22	91	-	-	38	38	-	66
TL- 36- 8M- 30	36	2	1615	42	91,57	90,3	97	-	-	38	38	-	68
TL- 38- 8M- 30	38	2	1615	42	96,77	95,39	102	-	-	38	38	-	70
TL- 40- 8M- 30	40	2	1615	42	101,86	100,49	106	-	-	38	38	-	77
TL- 44- 8M- 30	44	4	2012	50	112,05	110,67	120	-	86	38	32	6	75
TL- 48- 8M- 30	48	4	2012	50	122,23	120,86	128	-	90	38	32	6	78
TL- 56- 8M- 30	56	4	2012	50	142,6	141,23	150	-	110	38	32	6	85
TL- 64- 8M- 30	64	12	2517	60	162,97	161,6	168	125	-	38	45	7	90
TL- 72- 8M- 30	72	8	2517	60	183,35	181,97	192	125	158	38	45	7	97

TYP – 8M 30
Materiał – ŻELIWO
TAPER LOCK


RODZAJ 9 RODZAJ 10

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-80- 8M- 30	80	9	2517	60	203,72	202,35	-	125	180	38	45	7	-
TL-90- 8M- 30	90	9	2517	60	229,18	227,81	-	125	204	38	45	7	-
TL-112-8M- 30	112	9	2517	60	285,21	283,83	-	125	254	38	45	7	-
TL- 44- 8M- 30	114	10	2517	60	366,69	365,32	-	125	336	38	45	7	-


TYP – 8M 50
Materiał – STAL
TAPER LOCK



RODZAJ 4




RODZAJ 11




RODZAJ 14

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-28-8M-50	28	4	1210	32	71,3	70,08	75	-	50	60	25	35	79
TL-30-8M-50	30	4	1615	42	76,39	75,13	82,5	-	58	60	38	22	73
TL-32-8M-50	32	4	1615	42	81,49	80,16	87	-	63	60	38	22	76
TL-34-8M-50	34	4	1615	42	86,58	85,22	91	-	65	60	38	22	66
TL-36-8M-50	36	4	1615	42	91,67	90,3	97	-	68	60	38	22	68
TL-38-8M-50	38	4	1615	42	96,77	95,39	102	-	72	60	38	22	70
TL-40-8M-50	40	11	2012	50	101,86	100,49	106	-	80	60	32	14	77
TL-44-8M-50	44	11	2012	50	112,05	110,67	120	-	86	60	32	14	75
TL-48-8M-50	48	11	2012	50	122,23	120,86	128	-	95	60	32	14	78
TL-56-8M-50	56	11	2517	60	142,6	141,23	150	-	116	60	45	7,5	85
TL-64-8M-50	64	11	2517	60	162,97	161,6	168	-	136	60	45	7,5	90
TL-72-8M-50	72	14	2517	60	183,35	181,97	192	125	158	60	45	7,5	97


TYP – 8M 50
Materiał – ŻELIWO
TAPER LOCK




RODZAJ 6



RODZAJ 15



RODZAJ 16




RODZAJ 17

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-80-8M-50	80	6	3020	75	203,72	202,3	-	-	180	60	51	4,5	-
TL-90-8M-50	90	15	3020	75	229,18	227,81	-	160	204	60	51	4,5	-
TL-112-8M-50	112	15	3020	75	285,21	283,83	-	170	254	60	51	4,5	-
TL-144-8M-50	144	16	3020	75	366,69	365,32	-	170	336	60	51	4,5	-
TL-168-8M-50	168	17	3525	90	427,81	426,44	-	198	395	60	65	2,5	-
TL-192-8M-50	192	17	3525	90	488,92	487,55	-	198	455	60	65	2,5	-

TYP – 8M 85

Materiał – **STAL**

TAPER LOCK




RODZAJ 11

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-34-8M-85	34	11	1615	42	86,58	85,22	91	-	65	95	38	28,5	66
TL-36-8M-85	36	11	1615	42	91,67	90,3	97	-	68	95	38	28,5	68
TL-38-8M-85	38	11	1615	42	96,77	95,39	102	-	72	95	38	28,5	70
TL-40-8M-85	40	11	2012	50	101,86	100,49	106	-	80	95	32	31,5	77
TL-48-8M-85	48	11	2517	60	122,23	120,86	128	-	97	95	45	25	78
TL-44-8M-85	44	11	2012	50	112,05	110,67	120	-	86	95	32	31,5	75
TL-56-8M-85	56	11	2517	60	142,6	141,23	150	-	116	95	45	25	85
TL-64-8M-85	64	11	2517	60	162,97	161,6	168	-	136	95	45	25	90
TL-72-8M-85	72	11	3020	75	183,35	181,97	192	-	150	95	51	22	97


TYP – 8M 50

Materiał – **ŻELIWO**


TAPER LOCK



RODZAJ 6



RODZAJ 15




RODZAJ 16

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-80-8M-85	80	6	3020	75	203,72	202,35	-	-	180	95	51	22	-
TL-90-8M-85	90	6	3020	75	229,18	227,81	-	-	204	95	51	22	-
TL-112-8M-85	112	15	3020	75	285,21	283,83	-	170	254	95	51	22	-
TL-144-8M-85	144	15	3525	90	366,69	365,32	-	198	336	95	65	15	-
TL-192-8M-85	192	16	3525	90	488,92	487,55	-	198	455	95	65	15	-
TL-168-8M-85	168	16	3525	90	427,81	426,44	-	198	395	95	65	15	-

TYP – 14M 40

Materiał – **STAL**

TAPER LOCK




RODZAJ 11

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-28-14M-40	28	11	2012	50	124,78	122,12	128	-	94	54	32	11	153
TL-30-14M-40	30	11	2012	50	133,69	139,99	138	-	98	54	32	11	154
TL-32-14M-40	32	11	2012	50	142,6	139,88	154	-	108	54	32	11	160
TL-34-14M-40	34	11	2517	60	151,52	148,79	160	-	110	54	45	4,5	166
TL-36-14M-40	36	11	2517	60	160,43	157,68	168	-	120	54	45	4,5	168
TL-38-14M-40	38	11	2517	60	169,34	166,6	183	-	130	54	45	4,5	172
TL-40-14M-40	40	11	2517	60	178,25	175,49	188	-	138	54	45	4,5	162
TL-42-14M-40	42	11	3020	75	187,16	184,37	200	-	147	54	51	1,5	SP
TL-44-14M-40	44	11	3020	75	196,08	193,28	211	-	155	54	51	1,5	175
TL-48-14M-40	48	11	3020	75	213,9	211,11	226	-	170	54	51	1,5	180
TL-56-14M-40	56	11	3020	75	249,55	246,76	256	-	208	54	51	1,5	182


TYP – 14M 40

Materiał – **ŻELIWO**


TAPER LOCK



RODZAJ 15



RODZAJ 16




RODZAJ 17

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-72-14M-40	72	15	3020	75	320,86	318,06	-	170	280	54	51	1,5	-
TL-80-14M-40	80	16	3020	75	356,51	353,71	-	170	315	54	51	1,5	-
TL-90-14M-40	90	16	3020	75	401,7	398,28	-	170	360	54	51	1,5	-
TL-112-14M-40	112	16	3020	75	499,11	496,32	-	170	457	54	51	1,5	-
TL-144-14M-40	144	16	3020	75	641,71	638,92	-	170	600	54	51	1,5	-
TL-168-14M-40	168	16	3020	75	748,66	745,87	-	170	706	54	51	1,5	-
TL-192-14M-40	192	16	3020	75	855,62	852,82	-	170	813	54	51	1,5	-
TL-216-14M-40	216	16	3020	75	962,57	959,76	-	170	920	54	51	1,5	-
TL-264-14M-40	264	17	4040	100	1176,47	1173,66	-	230	1133	54	102	24	-

TYP – 14M 55

Materiał – **STAL**

TAPER LOCK




RODZAJ 11

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-28-14M-55	28	11	2012	50	124,78	122,12	128	-	94	70	32	19	153
TL-29-14M-55	29	11	2012	50	129,23	126,57	138	-	100	70	32	19	154
TL-30-14M-55	30	11	2517	60	133,69	130,99	138	-	100	70	45	12,5	154
TL-32-14M-55	32	11	2517	60	142,6	139,88	154	-	108	70	45	12,5	160
TL-34-14M-55	34	11	2517	60	151,52	148,79	160	-	110	70	45	12,5	166
TL-36-14M-55	36	11	2517	60	160,43	157,68	168	-	120	70	45	12,5	168
TL-38-14M-55	38	11	2517	60	169,34	166,6	183	-	130	70	45	12,5	172
TL-40-14M-55	40	11	2517	60	178,25	175,49	188	-	138	70	45	12,5	162
TL-42-14M-55	42	11	3020	75	187,16	184,37	200	-	147	70	51	9,5	SP
TL-44-14M-55	44	11	3020	75	196,08	193,28	211	-	155	70	51	9,5	175
TL-48-14M-55	48	11	3020	75	213,9	211,11	226	-	170	70	51	9,5	180
TL-56-14M-55	56	11	3020	75	249,55	246,76	256	-	208	70	51	9,5	182


TYP – 14M 55

Materiał – **ŻELIWO**


TAPER LOCK




RODZAJ 14



RODZAJ 15



RODZAJ 16




RODZAJ 17

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-64-14M-55	64	14	3020	75	285,21	282,41	296	170	240	70	51	9,5	184
TL-72-14M-55	72	15	3020	75	320,86	318,06	-	170	280	70	51	9,5	-
TL-80-14M-55	80	16	3020	75	356,51	353,71	-	170	315	70	51	9,5	-
TL-90-14M-55	90	16	3020	75	401,07	398,28	-	170	360	70	51	9,5	-
TL-112-14M-55	112	16	3020	75	499,11	496,32	-	170	457	70	51	9,5	-
TL-144-14M-55	144	16	3020	75	641,71	638,92	-	170	600	70	51	9,5	-
TL-168-14M-55	168	16	3020	75	748,66	745,87	-	170	706	70	51	9,5	-
TL-192-14M-55	192	16	3020	75	855,62	852,82	-	170	813	70	51	9,5	-
TL-216-14M-55	216	17	3535	90	962,57	959,76	-	190	920	70	89	9,5	-
TL-264-14M-55	264	17	4040	100	1176,47	1173,66	-	230	1133	70	102	16	-

TYP – 14M 85

Materiał – **STAL**

TAPER LOCK




RODZAJ 11

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-28-14M-85	28	11	2517	60	124,78	122,12	128	-	98	102	45	28,5	153
TL-29-14M-85	29	11	2517	60	129,23	126,57	138	-	100	102	45	28,5	154
TL-30-14M-85	30	11	2517	60	133,69	130,99	138	-	100	102	45	28,5	154
TL-32-14M-85	32	11	2517	60	142,6	139,88	154	-	108	102	45	28,5	160
TL-34-14M-85	34	11	2517	60	151,52	148,79	160	-	110	102	45	28,5	166
TL-36-14M-85	36	11	3020	75	160,43	157,68	168	-	125	102	51	25,5	168
TL-38-14M-85	38	11	3020	75	169,34	166,6	183	-	130	102	51	25,5	172
TL-40-14M-85	40	11	3020	75	178,25	175,49	188	-	138	102	51	25,5	162
TL-44-14M-85	44	11	3020	75	196,08	193,28	211	-	153	102	51	25,5	175
TL-48-14M-85	48	11	3020	75	213,9	211,11	226	-	171	102	51	25,5	180
TL-56-14M-85	56	11	3525	90	249,55	246,76	256	-	210	102	65	18,5	182


TYP – 14M 85

Materiał – **ŻELIWO**


TAPER LOCK




RODZAJ 14



RODZAJ 15



RODZAJ 16




RODZAJ 13

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-64-14M-85	64	14	3525	90	285,21	282,41	296	190	240	102	65	18,5	184
TL-72-14M-85	72	15	3525	90	320,86	318,06	-	190	280	102	65	18,5	-
TL-80-14M-85	80	16	3525	90	356,51	353,71	-	190	315	102	65	18,5	-
TL-90-14M-85	90	16	3525	90	401,7	398,28	-	190	360	102	65	18,5	-
TL-112-14M-85	112	16	3525	90	499,11	496,32	-	190	457	102	65	18,5	-
TL-144-14M-85	144	16	3525	90	641,71	638,92	-	190	600	102	65	18,5	-
TL-168-14M-85	168	16	3525	90	748,66	745,87	-	190	706	102	65	18,5	-
TL-192-14M-85	192	13	4040	100	855,62	852,82	-	230	813	102	102	-	-
TL-216-14M-85	216	13	4040	100	962,57	959,76	-	230	920	102	102	-	-
TL-264-14M-85	264	13	4040	100	1176,47	1173,66	-	230	1133	102	102	-	-

TYP – 14M 115

Materiał – **STAL**

TAPER LOCK




RODZAJ 11

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-28-14M-115	28	11	2517	60	124,78	122,12	128	-	98	133	45	44	153
TL-29-14M-115	29	11	2517	60	129,23	126,57	138	-	100	133	45	44	154
TL-30-14M-115	30	11	2517	60	133,69	130,99	138	-	100	133	45	44	154
TL-32-14M-115	32	11	2517	60	142,6	139,88	154	-	108	133	45	44	160
TL-34-14M-115	34	11	2517	60	151,52	148,79	160	-	110	133	45	44	166
TL-36-14M-115	36	11	3020	75	160,43	157,68	168	-	125	133	51	41	168
TL-38-14M-115	38	11	3020	75	169,34	166,6	183	-	130	133	51	41	172
TL-40-14M-115	40	11	3020	75	178,25	175,49	188	-	138	133	51	41	162
TL-44-14M-115	44	11	3030	75	196,08	193,28	211	-	155	133	76	28,5	175
TL-48-14M-115	48	11	3030	75	213,9	211,11	226	-	170	133	76	28,5	180
TL-56-14M-115	56	11	3535	90	249,55	246,76	256	-	210	133	89	22	182


TYP – 14M 115

Materiał – **ŻELIWO**


TAPER LOCK




RODZAJ 14



RODZAJ 15



RODZAJ 16




RODZAJ 13

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-64-14M-115	64	14	3535	90	285,21	282,41	296	190	240	133	89	22	184
TL-72-14M-115	72	15	3535	90	320,86	318,06	-	190	280	133	89	22	-
TL-80-14M-115	80	16	3535	90	356,51	353,71	-	190	315	133	89	22	-
TL-90-14M-115	90	16	3535	90	401,07	398,28	-	190	360	133	89	22	-
TL-112-14M-115	112	16	3535	90	499,11	496,32	-	190	457	133	89	22	-
TL-144-14M-115	144	16	4040	100	641,71	638,92	-	230	600	133	102	15,5	-
TL-168-14M-115	168	16	4040	100	748,66	745,87	-	230	706	133	102	15,5	-
TL-192-14M-115	192	16	4040	100	855,62	852,82	-	230	813	133	102	15,5	-
TL-216-14M-115	216	16	4040	100	962,57	959,76	-	230	920	133	102	15,5	-
TL-264-14M-115	264	16	5050	125	1176,47	1173,66	-	270	1133	133	127	3	-

TYP – 14M 170

Materiał – STAL

TAPER LOCK




RODZAJ 11

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-38-14M-170	38	11	3030	75	169,34	166,6	183	-	130	187	76	55,5	172
TL-40-14M-170	40	11	3030	75	178,25	175,49	188	-	138	187	76	55,5	162
TL-44-14M-170	44	11	3535	90	196,08	193,28	211	-	155	187	89	49	175
TL-48-14M-170	48	11	3535	90	213,9	211,11	226	-	175	187	89	49	180


TYP – 14M 170

Materiał – ŻELIWO


TAPER LOCK



RODZAJ 11



RODZAJ 15



RODZAJ 16

Typ	Ilość zębów	Rodzaj	Tuleja	Otwór MAX	Dp	De	Df Kołnierz	Dm Centrum	Di	F	S	P	N kołnierz
TL-56-14M-170	56	11	3535	90	249,55	246,76	256	-	210	187	89	49	182
TL-64-14M-170	64	11	4040	100	285,21	282,41	296	-	240	187	102	42,5	184
TL-72-14M-170	72	15	4040	100	320,86	318,06	-	230	280	187	102	42,5	-
TL-80-14M-170	80	15	4040	100	356,51	353,71	-	230	315	187	102	42,5	-
TL-90-14M-170	90	16	4040	100	401,07	398,28	-	230	360	187	102	42,5	-
TL-112-14M-170	112	16	5050	125	499,11	496,32	-	265	457	187	127	30	-
TL-144-14M-170	144	16	5050	125	641,71	638,92	-	265	600	187	127	30	-
TL-168-14M-170	168	16	5050	125	748,66	745,87	-	265	706	187	127	30	-
TL-192-14M-170	192	16	5050	125	855,62	852,82	-	265	813	187	127	30	-
TL-216-14M-170	216	16	5050	125	962,57	959,76	-	265	920	187	127	30	-